



555 Hwy 101, PO Box 67 Bandon, OR 97411 (541) 347-2437

Bandon by the Sea

CITY COUNCIL CONSENT AGENDA	DATE: 01-09-2024
SUBJECT: SYSTEM DEVELOPMENT CHARGE ANNUAL REPORT	ITEM NO: 3.10

BACKGROUND:

Attached is the System Development Charge 9SDC) Annual Report for the Fiscal year 2022-2023 that is required by ORA 223.331 (1) to be completed by January 1^{st} of each year.

FISCAL IMPACT:

The SDC funds earned \$483,734 and expensed \$19,148 for Fiscal Year 2022-2023, which increases the SDC funds balance by \$464,586.

RECOMMENDATION:

Administrative report for information only- no action required.

SUBMITTED BY:

April Cummings, Assistance Vinance Director



City of Bandon

Fiscal Year 2022-2023 System Development Charge Annual Report December 18, 2023

SDC Fund	Beginning Balance		Revenues		E	openses	En	ding Balance	Projects
Street SDC Reimbursement Fund (710)	\$	286,335	\$	23,149	\$	-	\$	309,484	
Street SDC Improvement Fund (711)	\$	560,810	\$	44,224	\$	-	\$	605,034	
Storm Drainage SDC Reimbursement Fund (715)	\$	125,614	\$	45,378	\$	1,779	\$	169,213	Beach Loop access road culvert replacement
Storm Drainage SDC Improvement Fund (716)	\$	171,734	\$	41,627	\$	-	\$	213,361	
Water SDC Reimbursement Fund (720)	\$	343,652	\$	44,773	\$	1,275	\$	387,150	SDC manual update
Water SDC Improvement Fund (721)	\$	2,056,184	\$	204,254	\$	16,094	\$	2,244,344	Water plant emergency generator & SDC manual update
Sewer SDC Reimbursement Fund (730)	\$	158,481	\$	32,357	\$	-	\$	190,838	
Sewer SDC Improvement Fund (731)	\$	394,232	\$	47,972	\$	-	\$	442,204	
Total	\$	4,097,042	\$	483,734	\$	19,148	\$	4,561,628	

City Council Agenda

BACKGROUND:

Attached is the System Development Charge (SDC) Annual Report for the Fiscal Year 2022-2023 that is required by ORS 223.331 (1) to be completed by January 1st of each year.

FISCAL IMPACT:

The SDC funds earned \$483,734 and expensed \$19,148 for Fiscal Year 2022-2023, which increases the SDC funds balance by \$464,586.

RECOMMENDATION:

Administrative report for information only - no action required.